



+86 15014732359 (WhatsApp/WeChat)

Tel: 0757-82133618

info@ghonortrims.com

www.ghonor.cn

www.ghonortrims.com



- Aluminum Products
- Stainless/PVC/Brass Profiles
- Tile Accessories



*To be your valuable partner
and reliable manufacturer!*

Foshan Golden Honor Building Materials Co., Ltd.

- 📍 China Headquarters Office
Chan Cheng District, Foshan City, Guangdong Province
- 📍 China Production Base
Nanhai District, Foshan City, Guangdong Province
- 📍 Vietnam Production Base
Cam Phuc Commune, Cam Giang District, Hai Duong Province, Vietnam
- 📍 Cambodia Production Base
Sangkat Bavet, Bavet City, Svay Rieng Province, Kingdom of Cambodia

ONE-STOP SOLUTIONS FOR BUILDING MATERIALS

FOSHAN GOLDEN HONOR BUILDING MATERIALS CO., LTD.

- CHINA FACTORY
- VIETNAM FACTORY
- CAMBODIA FACTORY



ABOUT GHONOR

Founded in 2007, Foshan Golden Honor Building Materials Co., Ltd. is a manufacturer that integrates R&D, production, and sales as a whole. We mainly produce products in extruded aluminum alloy, stainless steel, die-casting, and injection molding.

In 2019, we established factories in Vietnam to expand our industry chain and to meet the demand for our productions, mainly involved with aluminum profiles, auto/marine accessories, fences, and die-cast products.

We possess a self-owned supporting industrial chain, which will save you cost and time.

China Factory

Mature Industrial Chain



- 20,000m² Workshop
- Cost & Time Saving
- 3000+ Moulds
- Alibaba Verified & SGS & CE

Cambodia Factory

Anti-dumping Duty Solution



Vietnam Factory

Anti-dumping Duty Solution




- One-stop Production
- 140,000m² Workshop
- 15 Extrusion Lines
- ISO9001 & ISO14001 & BSCI

Looking forward to
more production bases.



FREE

Anti-dumping Duty



17+
Years
Experience

30+
Production
Lines

160,000
m² Area

5000+
Molds

30,000+
Clients

2500+
Projects

Company Certification



DEVELOPMENT HISTORY

In 2007

Golden Honor was officially established in Wuhan, China



In 2012

Our first factory was built in Foshan, China. And Ghonor brand was established



In 2019

Vietnam production base was established in Hai Duong Province, Vietnam



In 2020

Another area of 140,000m² factory was built as our second overseas base, providing complete solutions from raw materials to finished goods



In 2022

Cooperated with famous brands in EU/US



In 2023

Overseas Exhibitions



In 2024

Lanuched New VN Base



2025 to the Future

Unlimited possibilities...!





ABOUT CHINA FACTORY

Mature Industrial Chain



Production Process



Loading



Our Showroom



Our Exhibitions



Our Team



ABOUT OVERSEAS FACTORIES

Anti-dumping Duty Solution



• Vietnam Factory



COMING SOON
LAUNCHING 2025

• Cambodia Factory

Our Advantages



Raw Material Selection



140,000m² Workshop



5000+ Molding



Warehouse

Advanced Equipment



Aluminum Extruding Line



Anodizing Line



Powder Coating Line



Aluminum Die Casting Line



Zinc Alloy Die Casting Line



CNC Pipe Cutting Line



Laser Pipe Cutting Line



Sheet Metal Laser Cutting Line



Robot Welding Line



Sheet Metal Shearing Line



Punching Line



In-house Laboratory

- Anti-dumping duty solution
- The only bright anodizing production line in North Vietnam
- One-stop production system from aluminum ingots to finished products
- 140,000 square meters, with 15 extrusion lines
- Aluminum profiles, auto/marine accessories, fences, die-casting products

PRODUCT SERIES

01^{page}

Aluminum Profiles

- L Shape Tile Trim page 01
- Round Tile Trim page 05
- Square Tile Trim page 10
- T Shape Tile Trim page 14
- Corner Angle page 17
- Listello page 21
- Internal Corner Trim page 25
- Stair Nosing page 26
- Floor Transition page 29
- Carpet Trim page 35
- Movement Joint page 37
- Wall Panel Trim page 39
- Baseboard page 42
- Handle page 45
- Photo/Picture/Mirror Frame ... page 48
- Aluminum Profile page 49
- F-Shaped Profile page 52
- LED Profile page 53

14^{page}

Stainless Steel Profiles

- Square Tile Trim page 59
- Round Tile Trim page 61
- Corner Angle page 61
- L Shape Tile Trim page 62
- T Shape Tile Trim page 62
- Listello page 62
- Stair Nosing page 63
- Flat Trim page 63

18^{page}

Brass Profiles

- Brass Tile Trim page 64

20^{page}

Plastic Profiles

- PVC Tile Trimpage 66
- Marbel Tile Trim page 68

22^{page}

Tile Accessories

- End Capping page 70
- Tile Leveler page 71
- Tile Spacer page 71
- Cross Spacer page 72
- Diamond Spacer page 72

25^{page}

New Launch

- Tile Grout page 73
- Floor Drain page 75



JKL10-245B-190 L Shape Tile Trim





Table of product parameters:

Width(mm)	Height(mm)	Thickness(mm)	Length(m)
21	8	0.9	2.5/2.7/3
22	11.5	1	2.5/2.7/3 *
23	10	0.8	2.5/2.7/3
32	16	1.6	2.5/2.7/3



WA-L95N-256 L Shape Tile Trim




Table of product parameters:

Width(mm)	Height(mm)	Thickness(mm)	Length(m)
20	7.8	0.9	2.5/2.7/3
21	8.5	1	2.5/2.7/3
25	9.5	1.2	2.5/2.7/3 *



KK-10-170 L Shape Tile Trim




Table of product parameters:

Width(mm)	Height(mm)	Thickness(mm)	Length(m)
18.5	8	0.9	2.5/2.7/3
21	10	1	2.5/2.7/3 *
23	12	1.2	2.5/2.7/3



WL10-295-222 L Shape Tile Trim



























































Table of product parameters:

Width(mm)	Height(mm)	Thickness(mm)	Length(m)
18	8	0.9	2.5/2.7/3
20	12	0.8	2.5/2.7/3
22	10	1	2.5/2.7/3 *

 Model WL8-220-176	 Model WL08-260-206	 Model WL10-232-186	 Model WL06-250-200
 Model WL11-240-192	 Model WL11-288-230	 Model WL12.5-250-200	 Model WL12-300-238
 Model WL10-195-156	 Model WL10-215-176	 Model WL10.84-165-132	 Model WL15-355-284
 Model YL10-206	 Model YL12.5-220	 Model TF-L08-152	 Model TF-L12-180
 Model WA-L80N-244	 Model WA-L95-224	 Model L12-170-156	 Model L12-205-142
 Model L13-112-224	 Model L13.5-104-208	 Model MH-L13-232	 Model MH-L12.9-224
 Model SF-03-204	 Model MH-ZJ11-172	 Model MH-ZJ13-184	 Model MH-ZJ16-310

 Model AS061F-140-112	 Model AS061G-150-122	 Model AS15X10L-140-118	 Model AS30x15L-270-216
 Model BL7-157-126	 Model BL12-205-164	 Model BL13.6-210-168	 Model BL10-191-156
 Model JKL6-180A-144	 Model JKL8-195A-156	 Model JKL11-215A-172	 Model UA-L10-236
 Model HAL08-144	 Model HAL12-174	 Model FTET006-166	 Model ET012-184
 Model EL6-168	 Model L13-210-170	 Model WL11.5-147-118	 Model XBY-07-160
 Model C2-5.5-132	 Model SH-01-122	 Model AL-013-188	 Model LCL21-146
 Model ALM08-230	 Model LS-L10-156	 Model B6-L185-162	 Model JK15X30-300-238



K280C-182 Round Tile Trim





Table of product parameters:

Width(mm)	Height(mm)	Thickness(mm)	Length(m)
25	12	1.2	2.5/2.7/3
28	10	1	2.5/2.7/3 *
30	8	0.8	2.5/2.7/3
36	14	0.6	2.5/2.7/3



BK9-240-192 Round Tile Trim






Table of product parameters:

Width(mm)	Height(mm)	Thickness(mm)	Length(m)
23	9	1	2.5/2.7/3 *
24	10	0.8	2.5/2.7/3
25	6	0.5	2.5/2.7/3
25	8	0.7	2.5/2.7/3
30	13	1.3	2.5/2.7/3



HS-YC10-160 Round Tile Trim







Table of product parameters:

Width(mm)	Height(mm)	Thickness(mm)	Length(m)
22	11	0.5	2.5/2.7/3
26	10	0.6	2.5/2.7/3 *
28	12	0.8	2.5/2.7/3



LS-C10-142 Round Tile Trim





Table of product parameters:

Width(mm)	Height(mm)	Thickness(mm)	Length(m)
23	8	1	2.5/2.7/3
24	10	0.7	2.5/2.7/3 *
30	12	0.8	2.5/2.7/3
30	13	1.3	2.5/2.7/3



YF9-425-340 Round Tile Trim





Table of product parameters:

Width(mm)	Height(mm)	Thickness(mm)	Length(m)
32	9	1.2	2.5/2.7/3 *
32	12	1.2	2.5/2.7/3
28	10	0.8	2.5/2.7/3
28	8	1	2.5/2.7/3
28	6	1	2.5/2.7/3

XBY-22-204 Round Tile Trim







Table of product parameters:


Width(mm)	Height(mm)	Thickness(mm)	Length(m)
27	8	0.7	2.5/2.7/3
29	12	1	2.5/2.7/3
31.5	11	0.7	2.5/2.7/3 *
32	10	0.9	2.5/2.7/3




Model
ZQFC6-200




Model
ZQFC12-256




Model
ZQF-23-260




Model
KSR10B2-224




Model
TPC10-140




Model
TPC12-148




Model
JS-820-142




Model
JS-802-120




Model
ZW-Y08-230




Model
ZW-Y10-252




Model
10BF-142




Model
13B-196




Model
13N-312




Model
13FS-205-180




Model
13F-210Recover-166




Model
13F-210-234




Model
T-C13-270




Model
804B-128




Model
14A-200




Model
14F-400-300




Model
YC10-101-202




Model
W08F-270-218




Model
YF12-480-384




Model
BK08-250-204




Model
BK6-207-166




Model
BK10-255-206




Model
BK12-285-226




Model
BK10-200-190




Model
W09-240-188




Model
W11-255-200




Model
W12-153-118




Model
W12-260-220




Model
WK8-225-178




Model
WK10.3-200-160




Model
WK12-120-92




Model
SH-02-98




Model
AS254A-198




Model
AS254Q-275-220




Model
K121-144




Model
DS082-120




Model
AL-11B-192




Model
CK13-260-208




Model
TA-10R-172




Model
K10-130-104




Model
CC125-104




Model
JN-01B-124




Model
LS-C12-178




Model
XBY-08A-154




Model
K18-206




Model
K10-230-158




Model
10-06B-150




Model
LB05-182




Model
JY-070-250




Model
KA-11-238



Model
HS-YC12-186



Model
MH-YC12.5-216



ZW-F10-292 Square Tile Trim





Table of product parameters:

Width 1(mm)	Width 2(mm)	Height(mm)	Thickness(mm)	Length(m)
27	8	8	0.6	2.5/2.7/3
29	10	11	0.8	2.5/2.7/3
32	10	10	1	2.5/2.7/3 *
34	12	13	1.2	2.5/2.7/3



F01-216 Square Tile Trim





Table of product parameters:

Width 1(mm)	Width 2(mm)	Height(mm)	Thickness(mm)	Length(m)
30	8	11	0.7	2.5/2.7/3
34	14.5	12	0.6	2.5/2.7/3 *
35	12	13	0.8	2.5/2.7/3



BF10-332-266 Square Tile Trim




Table of product parameters:

Width 1(mm)	Width 2(mm)	Height(mm)	Thickness(mm)	Length(m)
29	8	10	1	2.5/2.7/3 *
33	10	11	0.8	2.5/2.7/3
30	12	12	0.6	2.5/2.7/3



FK10x10-236 Square Tile Trim




Table of product parameters:

Width 1(mm)	Width 2(mm)	Height(mm)	Thickness(mm)	Length(m)
28	10	10	0.9	2.5/2.7/3 *
31	8	12	0.8	2.5/2.7/3
33	10	13	0.7	2.5/2.7/3
35	12	11	0.6	2.5/2.7/3
48	10	8	0.5	2.5/2.7/3



AS043-350-280 Square Tile Trim






















Table of product parameters:

Width 1(mm)	Width 2(mm)	Height(mm)	Thickness(mm)	Length(m)
30	13.5	12.5	1	2.5/2.7/3 *
33	10	11	0.6	2.5/2.7/3
35	12	13	0.8	2.5/2.7/3







Model
XBY-36-272




Model
MLG-S08B-196




Model
AS043S-297-238




Model
KF310-214




Model
ZW-F08-250




Model
WF08-285-224




Model
WF12.5-410-328




Model
XBY-F28-188




Model
MLG-S12-196




Model
HF9.2-337-270




Model
F01-25-240




Model
ZW-F12-318




Model
WF8.5-325-258




Model
TPQ10-178




Model
XBY-F31-206




Model
WP12-272-218




Model
JS-702-146




Model
FF9-412-330




Model
T-S10-238




Model
WF10-335-1-258




Model
SF-11-306




Model
MLG-S8-180




Model
SAY-S12-264




Model
JY-028A-226




Model
FF12-510-408




Model
T-S13-294



Model
WF11-450-346



Model
PT-S13-236



AMA-T10PM-68 T Shape Tile Trim






Table of product parameters:

Width(mm)	Height(mm)	Thickness(mm)	Length(m)
10	5	1	2.5/2.7/3 *
15	8	0.8	2.5/2.7/3
20	3	0.9	2.5/2.7/3
25	10	0.6	2.5/2.7/3
40	7	1.7	2.5/2.7/3



ADI-T12-130 T Shape Tile Trim





























































Table of product parameters:

Width(mm)	Height(mm)	Thickness(mm)	Length(m)
6	8	0.5	2.5/2.7/3
8	4	1	2.5/2.7/3
12	5	1.3	2.5/2.7/3 *
18	4	1	2.5/2.7/3

			
Model MJ068-80	Model MJ088-90	Model MJ0128-112	Model MJ1810-164
			
Model MJ2210-186	Model MJ3110-234	Model ADI-T6-78	Model ADI-T8-98
			
Model ADI-T8B-44	Model ADI-T12B-54	Model ADI-T18-196	Model T045-36
			
Model T20-117-94	Model T25-137-110	Model T30-150-120	Model SF-06-266
			
Model TR-2428A-54	Model TR-1328A-58	Model TR-2429A-72	Model AMA-T27S-228
			
Model JS-T08-62	Model YT6-60-46	Model YT45-34	Model YT12-65-52
			
Model XBY-21-168	Model T220S-186	Model T155-122	Model T203-152

			
Model XBY-20-144	Model BT7.8-160-122	Model BT8.8-225-176	Model T10-1.5-86
			
Model SN-T8-54	Model SN-T14-118	Model Y21-100-76	Model Y10-130-102
			
Model MAZ-T10-90	Model MAZ-T20-136	Model T10-76	Model HWD-T20-154
			
Model HS-T12-84	Model AS063A-145-116	Model ANH-T15-120	Model NET19-180-144
			
Model MH-T20-124	Model T20x9-222-178	Model UA-T20-222	Model YT25-205-162
			
Model T08-100-80	Model T08-130-104	Model A9328-255T-204	Model RACH-T40-406
			
Model AS15x15T-270-216	Model AL08-210-168	Model UT25-102	Model UT0925-146



HWD-V15-158 Corner Angle



Table of product parameters:

Width(mm)	Height(mm)	Thickness(mm)	Length(m)
10	10	0.9	2.5/2.7/3
15	15	1.1	2.5/2.7/3 *
20	20	0.6	2.5/2.7/3
25	25	1	2.5/2.7/3
30	30	0.8	2.5/2.7/3



BL20-350-280 Corner Angle




Table of product parameters:

Width(mm)	Height(mm)	Thickness(mm)	Length(m)
10	10	1	2.5/2.7/3
15	15	0.9	2.5/2.7/3
20	20	1.3	2.5/2.7/3 *
30	30	0.7	2.5/2.7/3
40	40	1.4	2.5/2.7/3



NEV2020-245-196 Corner Angle



Table of product parameters:

Width(mm)	Height(mm)	Thickness(mm)	Length(m)
15	15	1	2.5/2.7/3
19	19	0.6	2.5/2.7/3
20	20	1.1	2.5/2.7/3 *
25	25	0.8	2.5/2.7/3



Y19.4-325-256 Corner Angle











































Table of product parameters:

Width(mm)	Height(mm)	Thickness(mm)	Length(m)
15	15	0.8	2.5/2.7/3
19	19	1	2.5/2.7/3
25	25	0.7	2.5/2.7/3
30	30	0.9	2.5/2.7/3 *

			
Model 10X10C-80	Model KVZ10-82	Model 10x10-84	Model BV10-117-94
			
Model AS10x10-110-94	Model HWD-V10-98	Model HSR-10x10-102	Model BL12-215-170
			
Model BV1212-227-182	Model LB-15-110	Model HS-V15-130	Model 15x15C-104
			
Model LS-V15B-114	Model BV15-177-142	Model AS15x15-170-142	Model NEV1515-180-144
			
Model JK15x15-198-156	Model BL15-270-216	Model 19x19-100	Model MH-V19-204
			
Model HU-V20-150	Model 2x2-168	Model ZQF-2x2-168	Model 2x2V-145-114
			
Model 2x2D-162	Model 2x2C-164	Model 2x2B-164	Model V19.75-150-120

			
Model 20X20-134	Model HS-V20-178	Model Y19.2-215-168	Model 20x20Z-172
			
Model XBY-31-180	Model AS20x20-240-190	Model BV20-240-192	Model JK20X20-265-210
			
Model BL20-365-292	Model HWD-V20-214	Model AL04-465-372	Model HS-V25-246
			
Model V25-133-100	Model V25-150-116	Model UMV25-138	Model 25x25B-204
			
Model Y19.3-270-212	Model AS25x25-300-240	Model JK2525-332-266	Model JS-V01-136
			
Model HS-V30-302	Model XBY-38-224	Model AS30x30L-357-286	Model AS30x30-360-290
			
Model W30x30-400-320	Model V40x40-1.35-574	Model V40x40-1.5-640	



BU14-247-196 Listello






Table of product parameters:

Width(mm)	Height(mm)	Thickness(mm)	Length(m)
10	8	1.3	2.5/2.7/3
19.6	12	0.8	2.5/2.7/3
20	9	1	2.5/2.7/3 *



Son-01-308 Listello






Table of product parameters:

Width(mm)	Height(mm)	Thickness(mm)	Length(m)
15	11	1.3	2.5/2.7/3 *
18	8	1	2.5/2.7/3
21	3	0.7	2.5/2.7/3



AMA-U10-124 Listello






Table of product parameters:

Width(mm)	Height(mm)	Thickness(mm)	Length(m)
10	5	1	2.5/2.7/3
11.5	10	0.8	2.5/2.7/3 *
20	10.8	0.7	2.5/2.7/3



BU1613-395-316 Listello















































Table of product parameters:

Width(mm)	Height(mm)	Thickness(mm)	Length(m)
5	3	1.5	2.5/2.7/3
8	5	0.9	2.5/2.7/3
10	8	1	2.5/2.7/3
16	13	1.5	2.5/2.7/3 *
20	10	0.7	2.5/2.7/3



			
Model TG-U5-100	Model JU-01-66	Model HSU-8-120	Model CU10-135-108
			
Model U-10-136	Model AS10x15U-230-186	Model SAY-U10.6-106	Model U20-160-122
			
Model U25-8-212	Model U30x20A-224	Model U01-86	Model U02-88
			
Model U05-100	Model U06-120	Model HS-U08-120	Model U5x10x5-94
			
Model U10x10x10-142	Model YU20-200	Model U07-120	Model U140-108
			
Model U150-116	Model U09-120	Model FU08-124	Model F011-180-144
			
Model ZW-U50-44	Model U5-98	Model QBU-5-138	Model BU1008-232-186



			
Model EK-U18-94	Model SN-U16-120	Model SN-U16A-166	Model MH-UD17-190
			
Model BU4-185-148	Model XBY-32-166	Model G20-166	Model SON-02-316
			
Model U203-100	Model U188-104	Model HSU-207-166	Model MH-UD23-388
			
Model U4-125-100	Model JU-02-72	Model AS20x18-420	Model 22x11-164
			
Model 25x10-110	Model 25x12A-136	Model 30x12-158	Model 30x10-158



XBY-23-324 Internal Corner Trim



X006-472 Stair Nosing








Table of product parameters:

Width(mm)	Height(mm)	Thickness(mm)	Length(m)
42.5	22	1.1	2.5/2.7/3 *
44	25	2	2.5/2.7/3



MH-Y22-214 Internal Corner Trim



L55-758 Stair Nosing







Table of product parameters:

Width(mm)	Height(mm)	Thickness(mm)	Length(m)
41	28	4.3	2.5/2.7/3
55	34.5	1.2	2.5/2.7/3 *



YA12-88 Internal Corner Trim



FH13-410A-328 Stair Nosing





Table of product parameters:

Width(mm)	Height(mm)	Thickness(mm)	Length(m)
36	12	0.5	2.5/2.7/3
41	13.5	0.6	2.5/2.7/3 *



E50-1655-1324 Stair Nosing




Table of product parameters:

Width(mm)	Height(mm)	Thickness(mm)	Length(m)
40	14	1	2.5/2.7/3
50	20	3	2.5/2.7/3 *

•Alternative Carborundum Insert



Model
TPN14-392

Model
WCP-625-506

Model
CP735-588

Model
BF25-690-550

Model
BF12.2-365-292

Model
BF14.1-415-332

Model
MLG-LT01-266

Model
CFH9.8-400-316

Model
MLG-LT02-290

Model
DN-20-280

Model
FH10-450-354

Model
KSLT24-370

Model
XBY-24-388

Model
FH12-305-248

Model
XBY-25-298

Model
BV4025-597-478

Model
BLS10-330-266

Model
BLS20-400-320

Model
HW18-290-232

Model
BT505-400

Model
BLS18-318-254

Model
BLS24-468-374

Model
BLS640-512

Model
HW10-607-512

Model
BL20-320-264

Model
BL25-580-462

Model
L30x10-204

Model
WL20-550-440

Model
DBL-07-256

Model
DBL-06-368

Model
DE-01-466

Model
JC-LT50-506

Model
Y09-595-470

Model
AMA-NLP20-420

Model
Y08-1000-814

Model
L55D-696

Model
HW17-1226-980

Model
HW15-1225-980

Model
HW16-1290-1032

Model
NLP15-378



KSF35-260 Floor Transition




Table of product parameters:

Width(mm)	Height(mm)	Thickness(mm)	Length(m)
28	4.6	1.2	2.5/2.7/3
35	3.8	1.2	2.5/2.7/3 *



Y07-598-474 Floor Transition




Table of product parameters:

Width(mm)	Height(mm)	Thickness(mm)	Length(m)
44	5.8	1.4	2.5/2.7/3 *
54	14	1	2.5/2.7/3



BC317-254 Floor Transition




Table of product parameters:

Width(mm)	Height(mm)	Thickness(mm)	Length(m)
37	5	1.5	2.5/2.7/3 *
50	8	1	2.5/2.7/3



BD10-600-480 Floor Transition




Table of product parameters:

Width(mm)	Height(mm)	Thickness(mm)	Length(m)
37.5	4	2.4	2.5/2.7/3
57	3.5	1.6	2.5/2.7/3 *



BP285-228 Floor Transition




Table of product parameters:

Width(mm)	Height(mm)	Thickness(mm)	Length(m)
27	1.7	/	2.5/2.7/3 *
39	2.2	/	2.5/2.7/3



BPS680-542 Floor Transition




Table of product parameters:

Width(mm)	Height(mm)	Thickness(mm)	Length(m)
30	2	1.5	2.5/2.7/3
60	4	1.5	2.5/2.7/3 *



HS-1040-308 Floor Transition




Table of product parameters:

Width(mm)	Height(mm)	Thickness(mm)	Length(m)
31	10	1	2.5/2.7/3 *
32	8	1	2.5/2.7/3



HS-A12-484 Floor Transition




Table of product parameters:

Width(mm)	Height(mm)	Thickness(mm)	Length(m)
43.5	11	1.2	2.5/2.7/3 *
32	8	1	2.5/2.7/3



BT10-278-220 Floor Transition




Table of product parameters:

Width(mm)	Height(mm)	Thickness(mm)	Length(m)
19.5	9	1	2.5/2.7/3 *
23	10	1	2.5/2.7/3



KA-16-120 Floor Transition




Table of product parameters:

Width(mm)	Height(mm)	Thickness(mm)	Length(m)
16	6	0.9	2.5/2.7/3 *



NOC50-484 Floor Transition





Table of product parameters:

Width(mm)	Height(mm)	Thickness(mm)	Length(m)
53.5	14.5	1	2.5/2.7/3 *



HW06-550-440 Floor Transition




Table of product parameters:

Width(mm)	Height(mm)	Thickness(mm)	Length(m)
32	10	1.5	2.5/2.7/3
43	15.5	1.7	2.5/2.7/3 *



ZJF185-3140 Floor Transition




Table of product parameters:

Width(mm)	Height(mm)	Thickness(mm)	Length(m)
185	13	2.5	2.5/2.7/3 *

Model
BC632-506

Model
BC192-154

Model
BC237-190

Model
BC230-184

Model
BT11.1-295-230

Model
BT12-292-234

Model
BT15.5-345-274

Model
BT10-300-240

Model
BT12-312-250

Model
BL8-178-146

Model
BL12-203-168

Model
BL10-410-328

Model
BPS-260-210

Model
HW05-395-316

Model
BD05-164-328

Model
DB-39-196

Model
KSF11-288

Model
RACH-13-274

Model
HW13-375-306

Model
BD05-164-330

Model
BU11.2-342-272

Model
JY-028A-226

Model
B6-BT121-242

Model
HS-1043-428

Model
CR1024-230

Model
AMA-F27S-290

Model
BS440-174

Model
BS322-258

Model
NEC215-172

Model
BP290-232

Model
BD04-120-240

Model
HW14-350-280

Model
AS023-197-158

Model
BR270-216

Model
BR362-290

Model
SY-F40-268

Model
BC385-298

Model
BR382-304

Model
BR432-346

Model
BR650-52

Model
BR400-320

Model
RACH-12-490

Model
W3754-640

Model
D-T27s-206

Model
BE100-1160-924

Model
BP257-206

Model
BD01-98-196

Model
BP365-292



DT-04-260 Carpet Trim




Table of product parameters:

Width(mm)	Height(mm)	Thickness(mm)	Length(m)
37	11	0.8	2.5/2.7/3 *
37	11	1	2.5/2.7/3
37.5	7.6	0.6	2.5/2.7/3
37.5	7.6	0.9	2.5/2.7/3



BD02-125-246 Carpet Trim





Table of product parameters:

Width(mm)	Height(mm)	Thickness(mm)	Length(m)
31	9	0.8	2.5/2.7/3
31	9	1	2.5/2.7/3
34.5	11.5	0.9	2.5/2.7/3 *
34.5	11.5	1	2.5/2.7/3



BD07-195-392 Carpet Trim






Table of product parameters:


Width(mm)	Height(mm)	Thickness(mm)	Length(m)
27	14	1	2.5/2.7/3
33	8.5	1.1	2.5/2.7/3 *
34.5	14	0.9	2.5/2.7/3




Model HW01-400-320




Model HW02-473-378




Model HW03-775-620




Model HS-DC10-198




Model DT-02-292



Model HW04-303-242



Model HW12-485-388




Model HW11-488-390



Bring your own adhesive
Comes with glue at the back,
and can be used after tearing.

- Acrylic & foam
- Strip thickness 0.8/1mm



KK-08-160 Movement Joint




Table of product parameters:

Width(mm)	Height(mm)	Thickness(mm)	Length(m)
48	6	0.9	2.5/2.7/3
48	8	0.9	2.5/2.7/3 *
48	10	0.9	2.5/2.7/3
48	12	0.9	2.5/2.7/3
48	15	0.9	2.5/2.7/3



XBY-CJ15-212 Movement Joint




Table of product parameters:

Width(mm)	Height(mm)	Thickness(mm)	Length(m)
52	10	0.9	2.5/2.7/3
52	12	0.7	2.5/2.7/3 *
52	15	0.7	2.5/2.7/3



ALM-008-244 Movement Joint






Table of product parameters:


Width(mm)	Height(mm)	Thickness(mm)	Length(m)
52	8	1	2.5/2.7/3
52	10	1.2	2.5/2.7/3
52	11	1.2	2.5/2.7/3 *
52	15	1	2.5/2.7/3




Model
KK10-172




Model
KK12-186




Model
XBY18-208




Model
XBY-CJ15-212




Model
MH-CJ17-284




Model
MH-CJ23-310



Model
LX12-197-158



Model
LX10-186-150



Model
ALM010-246



XT-616-76 Wall Panel Trim



Table of product parameters:

Width(mm)	Height(mm)	Thickness(mm)	Length(m)
19	7	0.5	2.5/2.7/3
20	4.5	0.5	2.5/2.7/3 *



INT-10.5-314 Wall Panel Trim




Table of product parameters:

Width(mm)	Height(mm)	Thickness(mm)	Length(m)
14	4	0.4	2.5/2.7/3
34	10.5	0.8	2.5/2.7/3 *



EXT-10.5-374 Wall Panel Trim





Table of product parameters:

Width(mm)	Height(mm)	Thickness(mm)	Length(m)
17.8	11	0.3	2.5/2.7/3
31	10.5	0.8	2.5/2.7/3 *



N859-168 Wall Panel Trim




Table of product parameters:

Width 1 (mm)	Width 2 (mm)	Height(mm)	Thickness(mm)	Length(m)
20.5	15	4.3	0.5	2.5/2.7/3 *
32.5	32	11	0.7	2.5/2.7/3

Model
HSN9-270-216

Model
HSN11-290-228

Model
HSN13-300-240

Model
DX03-98

Model
C28-374

Model
C29-500

Model
QBD-3-128

Model
QBD-5-140

Model
MQ-21-98

Model
YX200-160

Model
ALG-02-310

Model
CX410-326

Model
ALM-004-328

Model
TL280-196

Model
X285-224


Model
YC-38-252

Model
C23-236


Model
C24-246

Model
QBC-3-64


Model
QBC-5-70




Model
YU65-52




Model
MQ-10-60




Model
2786-68




Model
ML-J85-166




Model
AR-01-198




Model
BF10.5-315-252




Model
ENT-10.5-218




Model
C63-296




Model
BU11.2-342-272




Model
BU448-362




Model
BF9-315-252




Model
FB018-198




Model
XQ-X401B-70




Model
QBA-5-140




Model
BD03-155-312




Model
MT-01-352




Model
ALG-01-140




Model
CX165-132




Model
XT-617-100




Model
QBH-5-140




Model
C13-340-284




Model
W13-350-266



Model
CTS220-186



Model
YC25-260



Model
QBG-5-136



Model
BU295-236



Model
U215-112



ZXJ-154-WH60B-300

Baseboard




Table of product parameters:

Width(mm)	Height(mm)	Thickness(mm)	Length(m)
10.78	40/60/80	0.9	2.5/2.7/3



RT-JP08-732

Baseboard





Table of product parameters:

Width(mm)	Height(mm)	Thickness(mm)	Length(m)
10	40/60/80	1	2.5/2.7/3 *



ZXJ-194-5612-470

Baseboard





Table of product parameters:

Width(mm)	Height(mm)	Thickness(mm)	Length(m)
10	36/56/70	0.8	2.5/2.7/3




ZXJ-167-466 Baseboard



Table of product parameters:

Width(mm)	Height(mm)	Thickness(mm)	Length(m)
9.7	50/80	0.6	2.5/2.7/3 *



ZXJ-192-DJ80-566 Baseboard



Table of product parameters:

Width(mm)	Height(mm)	Thickness(mm)	Length(m)
12.5	50/70/80	0.8	2.5/2.7/3



ZXJ-171-296 Baseboard



Table of product parameters:

Width(mm)	Height(mm)	Thickness(mm)	Length(m)
11.5	50/70/80	0.7	2.5/2.7/3 *




ZXJ-181-D60-414 Baseboard




Table of product parameters:


Width(mm)	Height(mm)	Thickness(mm)	Length(m)
10.85	60/80/100	0.8	2.5/2.7/3




Model XBY-40-400




Model XBY-39-536




Model MQ-0492-SY-0327-568



Model XBY-41-624



Model TJX-100-1618



Model TJX-160-2272





SS-03-900 Handle




Table of product parameters:

Width(mm)	Height(mm)	Thickness(mm)	Length(m)
25.5	70	1.2	2.5/2.7/3 *



SS-02-672 Handle




Table of product parameters:

Width(mm)	Height(mm)	Thickness(mm)	Length(m)
27	56.5	1.2	2.5/2.7/3 *



SS-15-674 Handle





Table of product parameters:

Width(mm)	Height(mm)	Thickness(mm)	Length(m)
25	50	1.2	2.5/2.7/3 *



G203-600 Handle





Table of product parameters:

Width(mm)	Height(mm)	Thickness(mm)	Length(m)
22.5	43.5	1	2.5/2.7/3 *



YKL203-1002 Handle




Table of product parameters:

Width(mm)	Height(mm)	Thickness(mm)	Length(m)
23	49	1.7	2.5/2.7/3 *



YX-083-774 Frame LP02-1100 Handle







Table of product parameters:


Width(mm)	Height(mm)	Thickness(mm)	Length(m)
21	22.5	2.2	2.5/2.7/3 *
21	39	2.4	2.5/2.7/3 *




Model
JHS-L37.8-1026




Model
LF02-1140




Model
SS-07-620




Model
JHS-B22.4-692




Model
JHS-L63-1148




Model
JHS-B42.8-840




Model
JHS-17-622




Model
SS-05-830




Model
SS-01-680




Model
SS-04-460




Model
SS-06-1122




Model
YKA203-744




Model
RK-G01-786




Model
JKJ-029-824




Model
G188-558




Model
G215-684




Model
SS-08-574




Model
GML37-446



Model
TA-15H-680



Model
TA-21H-802



PF711-1-304 Photo/Picture/Mirror Frame





Table of product parameters:

Width(mm)	Height(mm)	Thickness(mm)	Length(m)
15.5	20.5	1	2.5/2.7/3 *



AL109-270 Photo/Picture/Mirror Frame






Table of product parameters:


Width(mm)	Height(mm)	Thickness(mm)	Length(m)
9	28	0.9	2.5/2.7/3 *




Model
PF812-396



Model
PF751-376



Model
AL058-246



Model
DT-01-216





GHSR-5-108 Solid Round Tube




Table of product parameters:

Radius(mm)	Length(m)
5/8/10/12	2.5



GHR-10-130 Hollow Round Tube





Table of product parameters:

Radius(mm)	Thickness(mm)	Length(m)
8/10/12	1.1	2.5
16/20/25	1.3	2.5



GHS-8x8-332 GHS-8x4-166 Solid Square Tube





Table of product parameters:

Width(mm)	Length(m)	Width(mm)	Height(mm)	Length(m)
8	2.5	8	4	2.5



GHHS-10-196 Hollow Square Tube




Table of product parameters:

Width(mm)	Thickness(mm)	Length(m)
10/15	1	2.5
20	1.5	2.5



GHF-15-148 Flat Bar



Table of product parameters:

Width(mm)	Height(mm)	Length(m)
15/20/30	1.8	2.5
22/40	1.9	2.5



GHU-8-100 Listello




Table of product parameters:

Width(mm)	Height(mm)	Thickness(mm)	Length(m)
8/10/12	8/10/12	0.9	2.5
15/20	10	0.9	2.5



GHT-15-110 T Shape Tile Trim




Table of product parameters:

Width(mm)	Height(mm)	Thickness(mm)	Length(m)
15	10	0.9	2.5
20	15	0.9	2.5



GHL-11x6-74 Unequal Angle




Table of product parameters:

Width(mm)	Height(mm)	Thickness(mm)	Length(m)
6	11	0.9	2.5
10	15/20	0.9	2.5



GHV-10-86 Corner Angle




Table of product parameters:

Width(mm)	Thickness(mm)	Length(m)
5/10/20/25/30	0.9	2.5
15/40	1.4	2.5



AK-F10-266 F-Shaped Profile







Table of product parameters:


Width 1(mm)	Width 2(mm)	Height(mm)	Thickness(mm)	Length(m)
30	10	10	1	2.5/2.7/3 *
32	8	6	2.4	2.5/2.7/3
37	10	5	1.5	2.5/2.7/3
41	12	5.4	1.5	2.5/2.7/3
50	12	8	1	2.5/2.7/3




Model MH-FK10-204




Model MH-FK13-294




Model MAZ-F10x12-204




Model F8x12-218




Model F10x12-226




Model F12x12-234



Model F14-122-244



Model F14.1-114-228



Model SF-10-304



YGD-0809A LED Profile




Table of product parameters:

Width(mm)	Height(mm)	Length(m)
11	9	3



508 LED Profile





Table of product parameters:

Width(mm)	Height(mm)	Length(m)
25	7	3



5020 LED Profile




Table of product parameters:

Width(mm)	Height(mm)	Length(m)
50	20	3



7035A LED Profile




Table of product parameters:

Width(mm)	Height(mm)	Length(m)
87	35	3



601 LED Profile





Table of product parameters:

Width(mm)	Height(mm)	Length(m)
15.8	15.8	3



Φ60 LED Profile




Table of product parameters:

Width(mm)	Radius(mm)	Length(m)
30	60	3



YXC04 LED Profile





Table of product parameters:

Width(mm)	Height(mm)	Length(m)
60	60	3



8050 LED Profile




Table of product parameters:

Width(mm)	Height(mm)	Length(m)
80	50	3



639 LED Profile






Table of product parameters:


Width(mm)	Height(mm)	Length(m)
15	56	3




2020-DMD



1509



1010A



2525SJ



601A



Φ30



1913



601



AL-YXC06




627



7.8x9




632A



3535




5032A




20040A



YXC05




HG22




6525-A

Punching hole




Our packaging




Find us! We will make it come true!


Polish




Matte




Brush



Sandblasting



Powder Coating



Stone-effect



Wood Grain



More colors can be customized...



SS-001 Square Tile Trim





Table of product parameters:

Width(mm)	Thickness(mm)	Length(m)
8/10/12	0.6/0.8/1	2.44/3.05 *



SS-002 Square Tile Trim





Table of product parameters:

Width(mm)	Height(mm)	Thickness(mm)	Length(m)
8	8/10/12.5	0.6/0.8/1	2.44/3.05 *



SS-003 Square Tile Trim





Table of product parameters:

Width(mm)	Height(mm)	Thickness(mm)	Length(m)
8	10/11/12.5	0.6/0.8/1	2.44/3.05 *



SS-004 Square Tile Trim





Table of product parameters:

Width(mm)	Thickness(mm)	Length(m)
8/10/12.5	0.6/0.8/1	2.44/3.05 *



SS-005 Square Tile Trim




Table of product parameters:

Width(mm)	Height(mm)	Thickness(mm)	Length(m)
3	8/10/12.5	0.6/0.8/1	2.44/3.05 *



SS-006 Square Tile Trim





Table of product parameters:

Width(mm)	Height(mm)	Thickness(mm)	Length(m)
10/12	8/10	0.6/0.8/1	2.44/3.05 *



SR-007 Round Tile Trim






Table of product parameters:

Width(mm)	Height(mm)	Thickness(mm)	Length(m)
10	6/9/10/12.5	0.6/0.8/1	2.44/3.05 *



SA-008 Corner Angle





Table of product parameters:

Width(mm)	Thickness(mm)	Length(m)
12/20/25	0.6/0.8/1	2.44/3.05 *



SA-009 Corner Angle





Table of product parameters:

Width(mm)	Thickness(mm)	Length(m)
12/20/25	0.6/0.8/1	2.44/3.05 *



SL-010 L Shape Tile Trim






Table of product parameters:

Width(mm)	Height(mm)	Thickness(mm)	Length(m)
20	6/8/10/12.5/15	0.6/0.8/1	2.44/3.05 *



ST-011 T Shape Tile Trim






Table of product parameters:

Width(mm)	Height(mm)	Thickness(mm)	Length(m)
6/8/10/12/16/19/25/30	8	0.6/0.8/1	2.44/3.05 *



SU-012 Listello






Table of product parameters:

Width(mm)	Height(mm)	Thickness(mm)	Length(m)
6/8/10/12/15/20/25	10	0.6/0.8/1	2.44/3.05 *

Stainless Steel Profiles



SJ-013 Stair Nosing





Table of product parameters:

Width(mm)	Height(mm)	Thickness(mm)	Length(m)
25	8/10/12	0.6/0.8/1	2.44/3.05 *



SP-014 Flat Trim






Table of product parameters:

Width(mm)	Thickness(mm)	Length(m)
10/15/20/ 25/30/40	0.3	5 *



Brass Profiles



BRS-001 Square Tile Trim






Table of product parameters:

Width(mm)	Height(mm)	Thickness(mm)	Length(m)
10	8/10/12	1.1-1.3	2.5 *



BRR-002 Round Tile Trim





Table of product parameters:

Width(mm)	Height(mm)	Thickness(mm)	Length(m)
25.2	8/10	1.1-1.3	2.5 *



BRL-003 L Shape Tile Trim






Table of product parameters:

Width(mm)	Height(mm)	Thickness(mm)	Length(m)
18.2	8/10	1.1-1.3	2.5 *



BRT-004 T Shape Tile Trim






Table of product parameters:

Width(mm)	Height(mm)	Thickness(mm)	Length(m)
12/14/16/18/20	8	1.1-1.3	2.5 *



BRC-005 Corner Angle






Table of product parameters:

Width(mm)	Thickness(mm)	Length(m)
15/20/25	1.1-1.3	2.5 *



PVC-001 Round Tile Trim





Table of product parameters:

Width(mm)	Height(mm)	Thickness(mm)	Length(m)
25	8/10/12	1	2.5 *



PVC-002 Round Tile Trim





Table of product parameters:

Width(mm)	Height(mm)	Thickness(mm)	Length(m)
22	8/10/12	1	2.5 *



PVC-003 L Shape Tile Trim





Table of product parameters:

Width(mm)	Height(mm)	Thickness(mm)	Length(m)
20	10/12	1	2.5 *



PVC-004 Corner Angle





Table of product parameters:

Width(mm)	Thickness(mm)	Length(m)
10/15/20/25/ 30/40/50	1	2.5 *



PVC-005 Movement Joint





Table of product parameters:

Width(mm)	Height(mm)	Thickness(mm)	Length(m)
42	10.5	1.1	2.5 *



MP-001 Round Tile Trim





Table of product parameters:

Width(mm)	Height(mm)	Thickness(mm)	Length(m)
23	10	2	2.5
25/30	12	2	2.5



MP-002 Round Tile Trim




Table of product parameters:

Width(mm)	Height(mm)	Thickness(mm)	Length(m)
30	13	2.6	2.5



MP-003 Round Tile Trim





Table of product parameters:

Width(mm)	Height(mm)	Thickness(mm)	Length(m)
29	11	3.2	2.5
31	12.5	2.8	2.5



MP-004 Round Tile Trim




Table of product parameters:

Width(mm)	Height(mm)	Thickness(mm)	Length(m)
21	11	2.5	2.5
26	12	2.8	2.5



MP-005 Corner Angle




Table of product parameters:


Width(mm)	Thickness(mm)	Length(m)
18/30	1.8	2.5
20/28/30	2	2.5




End Capping

Table of product parameters:

Size(mm)	Packing	Color	Surfaces	Material
10/12/15/ Match with tile trim	500pcs/bag 200pcs/bag	Gold/Silver/Bronze/ Solid color available	Polishing/Matte/ Brush	Aluminum/ Stainless steel





TL-001 PP / PA6

Tile leveler / Needle

Table of product parameters:

Thickness(mm)	Packing	Color
0.9/1.5	50pcs/bag	Red/Customizable



TS-001 PP / PA6

Wedge

Table of product parameters:



Size(mm)	Packing	Color
78*19*15	100pcs/bag	Red/Blue/Customizable
86*21*17	100pcs/bag	Red/Blue/Customizable
88*21*17	100pcs/bag	Red/Blue/Customizable



Clip

Table of product parameters:

Thickness(mm)	Packing	Color
0.5/1/1.5/2/2.5/3	100pcs/bag	Clear/Customizable




TS-002 PP

Cross shape

Table of product parameters:

Thickness(mm)	Packing	Color
0.5/1/1.5/2 /2.5/3/5/8	100pcs/bag	White/Customizable



TS-003 PP

Dimond shape

Table of product parameters:

Thickness(mm)	Packing	Color
1/1.5/2/2.5/3	50pcs/bag	Red/Customizable



TS-004 PP / PA6

Screw

Table of product parameters:

Size(mm)	Packing	Color
50*25/54*33	50pcs/bag	Red/Blue/Customizable

Clip

Table of product parameters:

Thickness(mm)	Packing	Color
1/1.5/2/2.5/3	100pcs/bag	Clear/White/Customizable

Spacer

Table of product parameters:

Size(mm)	Packing	Color
60	100pcs/bag	Clear/Customizable




TILE GROUT


Safe, environmentally friendly and formaldehyde-free



Application



Installation




FLOOR DRAIN


It is odor and insect resistant for all types of flooring, including ceramic, stone, and concrete.




FD-001 Stainless Steel




FD-002 Stainless Steel




FD-003 Stainless Steel




FD-004 Stainless Steel



FD-005 Stainless Steel



FD-006 Aluminum



OEM & ODM Summary



TYPICAL BUSINESS

OEM Customers

Responsibility of Customer

- OE Marketing Expansion Focus
- OE CAD & Quality Standard Focus

Responsibility of Ghonor

- Multiple Manufacturing Solutions & Cost Proposal
- IPD Team 6*16 Working
- Quality
- Delivery Guaranty
- Financial Support in Price & Credit

ODM Customers

Responsibility of Customer

- Specification Clarification
- Focus on Market Expansion

Responsibility of Ghonor

- Free Products Styling & CAD Supports
- Fast Reaction on Market Feedback of the New Styling Product
- Fast Reaction on Quality
- Financial Supports in Price & Credit



Equipment and Dedicated Line for the Customized Products

KEY MANUFACTURING PROCESS

Cutting



Shearing Machine

Bending



Bending Machine

Punching




Punching Machine

Polishing



Polishing Machine

E-coating



Automatic E-coating Line

Powder Coating



Automatic Powder Coating Line

AUTOMATIC PRODUCTION

We are dedicated to promote the automatic production in our factory



Manual Cutting



Laser Cutting



Manual Welding



Robot Welding

DEDICATED PRODUCTION LINE

Shower Curtain Pod Line



Sprinkler Line



Screen Entry Door Line



Hinge Line



Fence Line



- Fixed Workers
- Fixed Equipment
- Fixed Tooling
- Cost Down
- Consistent Quality
- High Production Efficiency

R&D Capabilities for the Customized Products

BASIC INFO R&D

OEM Projects

Systematic, IPD, In Time

- Develop According to ISO9001
- Rich Experience in Major OE Brands (Quality & Procedures)
- In Time Output
- Multiple Cost Proposals to Help with Bidding


ODM Projects

Fast, Accurate

- IPD Team
- 60 – 120 Days from Start to Delivery
- Cost Free Sample Making
- Cost Free Styling Service
- Cost Free CAD Service
- Quality & Cost Balance Proposals


R&D Capability

- More than 15 R&D Engineers
- Independent Division for OEM
- Full-time Industrial Design Team (5 Concept Designer)
- Precise Tooling, Fixture, Jig Designing and Manufacturing
- IPD R&D Management System.



QUALITY CONTROL OF NEW PRODUCT DEVELOPMENT

- 5 Stages of IPD Management
- 5 Technical Reviews During New Product Development



R&D MANAGEMENT

Ghonor IPD System

1 The Main Processes of Ghonor IPD system




Four Major Supporting Processes



New Product Developing Frame

Developing Process Frame



- TR1 Market Demanding Reviewing
- TR2 Technical Proposal Reviewing
- TR3 System Scheme Reviewing
- TR4 Design Reviewing
- TR5 Reviewing
- TR6 Trial Production Reviewing

Six Major Stages: Conception-Project Developing Verifying Launching Life Cycle
Six Reviewing Steps: TR1 Market Demanding Reviewing, TR2 Technical Proposal Reviewing, TR3 System Scheme Reviewing, TR4 Design Reviewing, TR5 Reviewing, TR6 Trial Production Reviewing
Three Major Strategy making Steps: Market Demanding CDCP, Feasibility Reviewing ADCP, Life Cycle Reviewing LDCP

Quality Control System for the Customized Products



GHONOR'S QUALITY SYSTEM



IPQC



IQC



FQC



OQC



LAB TEST

IN HOUSE LABORATORY TEST CAPABILITY

Composition Test



Tensile/Strength Test



Hardness Test




TESTS FOR SURFACE FINISH

Powder Coated/Anodized/Polished(S/S)

Salt Spray Test



Film Test



Color Comparison Test



LAB TESTING CAPABILITIES

In-house Lab


- 30+ Kinds of Tests
- 90 Sets of Equipment
- ISO/ASTM/EC

3rd Party Lab

- SGS, TUV, Intertek, BV, CCIC
- Compile Testing Reports as Per Global Standards and Customers' Requirements

QUALITY SYSTEM

AQL Level II: 2.5/4.0



1) IQC

Incoming material will be inspected and recorded before moving forward to the production line.

2)SOP/SIP Training

We provide SOP/SIP training to employees. There is a SOP/SIP board at each workstation.

3)IPQC

IPQC monitors and ensures the quality of every production process.

4)FQC

All finished goods will be inspected by FQC according to AQL standard before warehousing.

5)OQC


Final inspection will be conducted to the finished goods before they are shipped. The QC team may randomly select products to check for defects. The goal is to ensure that no defective products are shipped to the customer.



SOP/SIP at Work Station





SOP/SIP at Work Station



Defective Parts Separation

OEM/ODM EXPERIENCES

Screen Door



Hinge



Fence



Fence Cap



Hinge for Fence



Sprinkler



Shower Curtain Rod



Marketing



Sample Boxes



Color Card Boxes



Cups



Fans



Catalogs



Display Boards



Shirts



Umbrellas



Non-woven Bags



Paper Bags



Notebooks



Badges